



REGULAR CAB 1500 120.5"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



PLAN VIEW



SIDE VIEW



CHARTS

[Site Map](#)

[Main Menu](#)

[Ram Home](#)

PRINT


[ALL](#)

[IN](#)

[OUT](#)

REGULAR CAB 1500 120.5"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



FRONT & REAR VIEW



SIDE VIEW



CHARTS

 [Site Map](#)


 [Main Menu](#)

 [Ram Home](#)

PRINT



REGULAR CAB 1500 120.5"WB 4x4
POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



FRONT & REAR VIEW



PLAN VIEW



CHARTS

Site Map

Main Menu

Ram Home

PRINT

ALL

IN

OUT

REGULAR CAB 1500 120.5"WB 4x4

Code	2005 RAM REG CAB 6.5' BOX 120.5 WB	mm	in
L101	Wheelbase	3060.9	120.5
L103	Vehicle Length	5276.2	207.7
L104	Overhang - Front	999.7	39.4
L105	Overhang - Rear	1215.5	47.9
L114	Front Wheel to Front SgRP c/l	1474.6	58.1
L403	Front of Bumper to Back of Cab	3123.0	123.0
L404	Cab to Rear Axle	937.7	36.9
L410	Cab Length	1804.8	71.1
L504	Cab to Pickup Body	17.4	0.7
TRL1	Rear Bumper to Back of Cab	2153.2	84.8
TRL2	Fuel Tank Length	1152.9	45.4
TRL3	Rear Wheel Centerline to Fuel Tank	172.8	6.8

Code	2005 RAM REG CAB 6.5' BOX 120.5 WB	mm	in
CH16	Box Bed to Cab Roof	590.7	23.3
CH17	Box Floor to Cab Roof	1114.0	43.9
CH18	Steering Column Angle	22.9°	22.9°
CH514	Box Floor to Top of Fuel Tank	83.8	3.3
CL513	Rear Axle to Inside Box at Rear	1016.3	40.0
H6	SgRP-Front to Windshield Lwr DLO	446.2	17.6
H18	Steering Wheel Angle	26.7°	26.7°
H61	Effective Head Room Front	1040.0	40.9
H122	Window Slope Angle - Windshield	56.9°	56.9°

Code	2005 RAM REG CAB 6.5' BOX 120.5 WB	mm	in
TRW1	Outside Rail to Fuel Tank (inside)	434.2	17.1
W106	Front Fender Width	2020.5	79.5
W107	Rear Fender Width	2021.7	79.6
W116	Body Width - maximum	2021.8	79.6
W117	Body Width At SgRP - Front	2019.0	79.5
W120	Vehicle Width - Front Doors Open	4227.2	166.4
W201	Cargo Width - Wheelhouse	1295.4	51.0
W410	Vehicle Width - Mirrors (std)	2396.2	94.3
W410A	Vehicle Width - Mirrors (opt)	2587.1	101.9
W410B	Vehicle Width - Mirrors (trailer)	2751.4	108.3



TIRE CHART



FRONT & REAR VIEW



PLAN VIEW



SIDE VIEW

[Site Map](#)

[Main Menu](#)

[Ram Home](#)

PRINT



REGULAR CAB 1500 120.5"WB 4x4

Code	2005 RAM REG CAB 6.5' BOX 1500 4X4 120.5 WB	P245/70R17		P265/70R17		LT275/70R17		P275/60R20	
		mm	in	mm	in	mm	in	mm	in
CH511	Bottom of Open Hood to Ground	1904.1	75.0	1921.3	75.6	1932.5	76.1	1938.3	76.3
CHR22	Turn Circle Diameter(feet/meters)*		39.6ft		39.6ft		39.6ft		39.6ft
H5	SgRP- Front to Ground	939.0	37.0	956.2	37.6	967.4	38.1	973.2	38.3
H101	Vehicle Height (curb Load)	1917.6	75.5	1934.8	76.2	1946.0	76.6	1951.8	76.8
H103	Front Bumper to Ground (curb wt.)	279.8	11.0	297.0	11.7	308.2	12.1	314.0	12.4
H105	Rear Bumper to Ground (curb wt.)	545.2	21.5	562.4	22.1	573.6	22.6	579.4	22.8
H106	Angle of Approach	18.1°	18.1°	19.3°	19.3°	20.0°	20.0°	20.4°	20.4°
H107	Angle of Departure	26.0°	26.0°	26.8°	26.8°	27.4°	27.4°	27.6°	27.6°
H130	Step Height - Front(curb weight)	566.8	22.3	584.0	23.0	595.2	23.4	601.0	23.7
H147	Ramp Breakover Angle	22.9°	22.9°	24.4°	24.4°	25.4°	25.4°	25.9°	25.9°
H148	Suspension or Axel to Ground - Front	243.9	9.6	261.2	10.3	272.4	10.7	278.2	11.0
H153	Suspension or Axel to Ground - Rear	185.1	7.3	202.3	8.0	213.5	8.4	219.3	8.6
H195	Liftover Height	1379.7	54.3	1396.9	55.0	1408.1	55.4	1413.9	55.7
H250	Open Tailgate to Ground	874.2	34.4	891.4	35.1	902.6	35.5	908.4	35.8
W101	Tire Track - front	1727.2	68.0	1727.2	68.0	1727.2	68.0	1727.2	68.0
W102	Tire Track - rear	1724.7	67.9	1724.7	67.9	1724.7	67.9	1724.7	67.9



CHART

[● Site Map](#)

[● Main Menu](#)

[● Ram Home](#)

PRINT

ALL

IN

OUT